



POWERPLUS GARDEN 2021

POWERPLUS

POWERPLUS®
HIGH QUALITY TOOLS

POWERPLUS®
HIGH QUALITY TOOLS

POWERPLUS



Working in the garden becomes much more efficient, and more pleasant, with Powerplus garden tools.

A large selection – lawnmowers, grass trimmers etc. – and you decide whether you want to go for electric, gasoline- or battery-operated tools.

POWERPLUS

POWERPLUS[®]
HIGH QUALITY TOOLS

POWERPLUS[®]
HIGH QUALITY TOOLS



POWERPLUS

PRO
POWER

INTRODUCING

POWERPLUS PRODUCT LINES	P 5
DUAL POWER BATTERY PLATFORM	P 6
POWERPLUS PRO, DESIGNED FOR PROFESSIONALS	P 8
4-STROKE YET COMPACT & LIGHTWEIGHT	P 9

LAWNMOWERS

	POWDPG7556	brushless	20V	P 11
	POWDPG7561	brushless	40V	P 12
	POWDPG75620 lawnmower + battery + charger	PROMO	40V	P 12
	POWDPG7568	brushless	2x40V	P 13
	OVERVIEW			P 15

ELECTRIC	POWEG63703		1000W	P 16
	POWEG63705	NEW	1300W	P 16
	POWXG6212T lawnmower + grass trimmer	NEW	PROMO	1300W P 17
	POWXG6251		1600W	P 17
	POWXG6281		2000W	P 18
	POWPG10240		1800W	P 18
	POWPG10260	self propelled	1800W	P 19
	OVERVIEW			P 20

GASOLINE	POWEG63731	NEW	150cc	P 21
	POWEG63773		self propelled	132cc P 21
	POWXG60240		self propelled	141cc P 22
	POWXG60245		self propelled	173cc P 22
	POWXG60250		self propelled	196cc P 23
	POWPG10120		self propelled	189cc P 24
	OVERVIEW			P 25

LAWN SCARIFIERS/AERATORS

BATTERY	POWDPG8020	brushless	40V	P 27
ELECTRIC	POWXG7513		1400W	P 28
	POWXG7516		1800W	P 28

CULTIVATORS

ELECTRIC	POWEG7010		1050W	P 30
	POWXG72010	NEW	1500W	P 30
GASOLINE	POWXG7214		173cc	P 31
	POWXG7217		208cc	P 32
	OVERVIEW			P 33

GRASS TRIMMERS

BATTERY	POWDPG7541		20V	P 35
	POWDPG75420 grass trimmer + battery + charger	PROMO	20V	P 35
	POWDPG7546		40V	P 36
	OVERVIEW			P 37

ELECTRIC	POWEG6015		300W	P 38
	POWXG30030		400W	P 38
	POWXG30033		500W	P 39
	POWXG30035		600W	P 39
	POWPG40220		650W	P 40
GASOLINE	POWXG50100		4-STROKE	26.4cc P 41
	OVERVIEW			P 42

BRUSH CUTTERS

BATTERY	POWDPG7551	brushless	40V	P 44
	POWDPG7553	brushless	40V	P 45
GASOLINE	POWEG8012		42.7cc	P 46
	POWXG30410		32.6cc	P 47
	POWXG30412		42.7cc	P 47
	POWXG3026	4-IN-1	42.7cc	P 48
	POWXG50200	4-STROKE	31cc	P 49
	POWPG40140		41.2cc	P 49
	OVERVIEW			P 50

INDEX

HEDGE TRIMMERS

BATTERY	POWEG4500	2-IN-1	7.2V	P 52
	POWXG2032	2-IN-1	7.2V	P 52
	POWEBG7530		18V	P 53
	POWDPG7531		20V	P 54
	POWDPG75320 trimmer + battery + charger	PROMO	20V	P 54
	POWDPG7536		40V	P 55
	POWDPG75380	NEW	LONG NECK 40V	P 56
			OVERVIEW	P 57

ELECTRIC	POWEG40100	NEW	550W	P 58
	POWXG2007		550W	P 58
	POWXG20080		600W	P 59
	POWXG20090		750W	P 59
	POWXG2043	NEW	2-IN-1 750W	P 60
	POWPG30230		600W	P 61
			OVERVIEW	P 62

GASOLINE	POWEG3010		22.5cc	P 63
	POWXG2017		26cc	P 63
	POWXG50300	4-STROKE	26.5cc	P 64
	POWPG30110		22.2cc	P 64
			OVERVIEW	P 65

CHAINSAWS

BATTERY	POWDPG7570		20V	P 67
	POWDPG7576	brushless	40V	P 67
	POWDPG75385	NEW	brushless 40V	P 68
ELECTRIC	POWEG10100		2000W	P 69
	POWEG10110		2200W	P 69
	POWXG1009		2400W	P 70
	POWXG1032	2-IN-1	900W	P 71
	POWPG20210		2400W	P 72
			OVERVIEW	P 75

GASOLINE	POWEG2010		37.2cc	P 73
	POWXG10211		37.2cc	P 73
	POWXG10231		50cc	P 74
	POWPG20130		45.5cc	P 74
			OVERVIEW	P 75

MAINTENANCE

	POWACG8010 OIL/FUEL EXTRACTOR			P 77
	POWXG1066 CHAIN SHARPENER	NEW		P 77

LEAF BLOWERS

BATTERY	POWEBG7520		18V	P 79
	POWDPG7521		20V	P 79
	POWDPG7525		40V	P 80
	POWDPG7526	NEW	40V	P 80
	POWDPG7527		40V	P 81
ELECTRIC	POWEG9013	NEW	3300W	P 82
	POWXG4038		3300W	P 82
	POWXG50400	4-STROKE	26cc	P 83
	POWPG60140		27.6cc	P 83
			OVERVIEW	P 84

SHREDDERS

ELECTRIC	POWEG5011		2400W	P 86
	POWXG6462		2800W	P 86

HIGH PRESSURE CLEANERS

ELECTRIC	POWXG90400		1200W	P 88
	POWXG90405		1400W	P 88
	POWXG90410		1800W	P 89
	POWXG90416	NEW	2000W	P 89
	POWXG90420		2200W	P 90
	POWXG90425		2500W	P 90
	POWXG90430	NEW	3100W	P 91
	POWXG90500	NEW	PROMO 2200W	P 92
GASOLINE	POWXG9009		208cc	P 93
	POWXG9100	NEW	212cc	P 94
			OVERVIEW	P 95

PRESSURE SPRAYERS

BATTERY	POWDPG80400	NEW	20V	P 97
	POWDPG80460	NEW	20V	P 97

WEED BURNERS

ELECTRIC	POWXG6601		2000W	P 99
	POWXG6611		2000W	P 99

WEED SWEEPERS

BATTERY	POWDPG8060	NEW	20V	P 101
ELECTRIC	POWXG6650	NEW	400W	P 101

PRODUCT LINES

POWERPLUS

POWERPLUS EG

The E line offers an attractive mix of garden tools available at extremely competitive prices, with no compromise on basic quality standards. It has a modern look & feel and can be recognised by its compact design. The tools are perfect for the gardener who occasionally enjoys working in the garden.



POWERPLUS[®] HIGH QUALITY TOOLS

POWERPLUS XG

The X range is focused on the gardener born with green fingers, who can be seen frequently in his or her garden. The tools have an ergonomic design and are chosen for their excellent quality-price ratio. Besides, you decide whether you want to go for electric, gasoline- or battery-operated devices.

POWERPLUS[®] HIGH QUALITY TOOLS

POWERPLUS DPG

The battery platform Dual Power consists of 20V and 40V batteries, that you combine with a whole range of tools. It provides absolute freedom of movement and makes gardening easy. As battery and charger are sold separately, there's no need to buy a new battery for every tool.



POWERPLUS

POWERPLUS PRO

The premium Pro Power products are indispensable for green fingers, setting higher gardening goals. Pro Power materials assure an intensive and a long-term use and enable working in a secure and comfortable way.



DUAL POWER

choose your battery



**COMBINE WITH
MORE THAN 50 TOOLS**



⚡ POWERFUL ⚡ DURABLE ⚡ FLEXIBLE ⚡ ECONOMIC



Dual Power is a new generation battery platform. It consists of a 20V and a 40V battery, that combine with a multitude of cordless tools.

The concept is simple but strong. The 20V battery fits on 20V Dual Power tools, the 40V battery activates 40V Dual Power tools. But here is where the real innovation steps in: you can also click the 40V battery on a 20V Dual Power tool. Doing so will drastically increase the runtime.

DUAL POWER // GARDEN TOOLS



DUAL POWER // POWER TOOLS



COMBINE
WITH

**20
VOLT
TOOL**



*LONGER
WORKING TIME*

COMBINE
WITH

**20
VOLT
TOOL**

COMBINE
WITH

**40
VOLT
TOOL**

**USE ALL THESE TOOLS WITH
THE SAME BATTERY AND CHARGER**



POWDP9011
BATTERY 20V LI-ION

2.0Ah

POWDP9037
BATTERY 40V LI-ION

2.5Ah SAMSUNG CELLS



POWDP9021
BATTERY 20V LI-ION

2.0Ah SAMSUNG CELLS

POWDP9038
BATTERY 40V LI-ION

2.5Ah LG CELLS



POWDP9022
BATTERY 20V LI-ION

2.0Ah LG CELLS

POWDP9040
BATTERY 40V LI-ION

4.0Ah SAMSUNG CELLS

LONGER WORKING TIME



POWDP9051

CHARGER 20/40V



POWERPLUS

PRO POWER



Designed for professionals.

DURABLE AND RELIABLE TOOLS

Pro Power is especially designed to meet the demands of a professional. The superior quality tools deliver a high performance and can handle the most challenging tasks. With Pro Power you can be sure of extremely durable and reliable tools.

The development of the new Pro Power line included close collaboration with professionals. This results in a first class quality line with high performances that can cope with the heaviest duties.

You want to work as a professional? Choose for the professional quality of Pro Power!



4-STROKE

LIGHT & COMPACT

Besides the regular 2-stroke devices, we now also offer **light and compact** garden tools which dispose very exceptionally of a **4-stroke motor**: a brush cutter, a leaf blower, a grass and a hedge trimmer. This type of motor mostly comes with heavier devices. So it's an opportunity to add light, yet powerful and durable equipments to your collection.

The choice for 4-stroke is very obvious: you'll be amazed about the **vibrations**, because there aren't nearly any. So you work in a more comfortable way, also because of the much **lower noise level** as a consequence of the lower rotation speed. This results in a **powerful motor** too? Definitely! You have thus both a powerful and a user-friendly tool in hands, that gets you going quickly with just one pull (**easy start system**).

You'll buy this equipment with a future perspective. Firstly, it has a **longer lifespan** than 2-stroke motors, since it **gets lubricated** for a smooth and durable operation and **you don't need to mix fuel with oil**. We also know the more the engine runs, the quicker it wears out. Secondly these garden tools are **environmentally friendly**. As power is generated once every 4 strokes and no oil is added to the fuel, the engines produce less pollution.

These garden tools will keep you working for the long-term with user-friendly compact devices.



POWXG50100
GRASS TRIMMER
(page 41)



POWXG50200
BRUSH CUTTER
(page 49)



POWXG50300
HEDGE TRIMMER
(page 64)



POWXG50400
LEAF BLOWER
(page 83)

LESS VIBRATION
LOWER NOISE LEVEL
POWERFUL MOTOR

LIGHT & COMPACT

EASY START SYSTEM
LONGER LIFESPAN
NO FUEL-OIL MIX
ENVIRONMENTALLY FRIENDLY



LAWNMOWERS

GRASMAAIERS // TONDEUSES À GAZON // RASENMÄHER // CORTACÉSPEDES





POWDPG7556

RATED VOLTAGE
20V---

CUTTING WIDTH
330mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 5 positions

COLLECTION BAG
30L

FOR LAWN SIZES UP TO
250m²

- Easy start
- Safety key
- Top carrying handle
- Full box indicator
- Foldable handle for storage
- Brushless motor



20
VOLT
TOOL

USE WITH



**BATTERY
NOT INCLUDED**

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING

EASY START

SOFT GRIP

FULL BOX
INDICATOR

TOP
CARRYING
HANDLE

Ø165mm

Ø140mm



ADVANTAGES

COMPARED TO A BRUSHED MOTOR

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER



SAFETY BUTTON



MULCHING FUNCTION



LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERIA

POWDPG7561

RATED VOLTAGE
40V ---

CUTTING WIDTH
370mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 6 positions

COLLECTION BAG
35L

FOR LAWN SIZES UP TO
500m²

- Easy start
- Safety key
- Central adjustable height setting
- Top carrying handle
- Full box indicator
- Foldable handle for storage
- Brushless motor



USE WITH



**BATTERY
NOT INCLUDED**

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING



**ADVANTAGES
COMPARED TO A BRUSHED MOTOR**

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER



SAFETY BUTTON



MULCHING FUNCTION



POWDPG75620

LAWNMOWER

RATED VOLTAGE
40V $\equiv$

CUTTING WIDTH
370mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 6 positions

COLLECTION BAG
35L

FOR LAWN SIZES UP TO
500m²

- Easy start
- Safety key
- Central adjustable height setting
- Top carrying handle
- Full box indicator
- Foldable handle for storage
- Brushless motor



GRASS TRIMMER

RATED VOLTAGE
20V $\equiv$

CUTTING WIDTH
250mm

SPOOL
Ø1.2mm - 4.5m

- Telescopic shaft
- Edge roller
- Flower protection
- Automatic spool
- Adjustable trimming angle
- Safety guard



BATTERY + CHARGER

RATED VOLTAGE
40V $\equiv$ LI-ION

BATTERY CAPACITY
2500mAh

CHARGER OUTPUT
21V $\equiv$ /4.0A

CHARGING TIME 20V BATTERY
40min

CHARGING TIME 40V BATTERY
2h



3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING

PROMO



EASY START

SOFT GRIP





LAWNMOWERS

ACCU GRASMAAIERS // TONDEUSES À GAZON SUR BATTERIE
AKKU RASENMÄHER // CORTACÉSPEDES A BATERIA

POWDPG7568

RATED VOLTAGE

40V

TWIN BATTERY SYSTEM

CUTTING WIDTH

510mm

ADJUSTABLE CUTTING HEIGHT

30-80mm - 6 positions

COLLECTION BAG

70L

FOR LAWN SIZES UP TO

1200m²

- Self propelled
- Easy start
- Safety key
- Central adjustable height setting
- Full box indicator
- Twin battery system
- Foldable handle for storage
- Brushless motor

1 BATTERY = NORMAL RUNTIME
2 BATTERIES = DOUBLE RUNTIME

BRUSHLESS MOTOR



ADVANTAGES

COMPARED TO A BRUSHED MOTOR

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER



40
VOLT
TOOL

USE WITH



**BATTERY
NOT INCLUDED**

4 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING
- COLLECTING



**SELF-
PROPELLED**
EXTRA COMFORTABLE MOWING



MULCHING FUNCTION



TWIN BATTERY SYSTEM



				
	POWDPG7556	POWDPG7561	POWDPG75620	POWDPG7568
RATED VOLTAGE	20V  (not included)	40V  (not included)	40V 	40V  twin battery system
CUTTING WIDTH	330mm	370mm	370mm	510mm
ADJUSTABLE CUTTING HEIGHT	25-75mm 5 positions	25-75mm 6 positions	25-75mm 6 positions	30-80mm 6 positions
COLLECTION BAG/BOX	30L	35L	35L	70L
LAWN SIZE UP TO	250m ²	500m ²	500m ²	1200m ²
MULCHING FUNCTION	✓	✓	✓	✓
HOUSING	Plastic	Plastic	Plastic	Steel
BRUSHLESS MOTOR	✓	✓	✓	✓
	-	-	+ grass trimmer + 40V battery 2.5Ah + charger 20V/40V	-
COMPATIBLE SPOOL	-	-	POWDPG7000	-
COMPATIBLE BATTERY LAWNMOWER	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040 	POWDP9036 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040
COMPATIBLE BATTERY TRIMMER	-	-	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	-
COMPATIBLE CHARGER	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055
	 5 400338 090660 >	 5 400338 090677 >	 5 400338 074592 >	 5 400338 088605 >



LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDOS ELÉCTRICOS

POWEG63703

RATED POWER
1000W

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 3 positions


COLLECTION BOX
30L

FOR LAWN SIZES UP TO
250m²

- Safety button
- Adjustable height setting
- Cable relief

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING



SAFETY BUTTON



ADJUSTABLE HEIGHT SETTING

POWEG63705 **NEW**

RATED POWER
1300W

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 3 positions


COLLECTION BOX
30L

FOR LAWN SIZES UP TO
250m²

- Safety button
- Adjustable height setting
- Cable relief

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING



SAFETY BUTTON



ADJUSTABLE HEIGHT SETTING



POWXG6212T NEW

POWXG6212TA LAWNMOWER

RATED POWER
1300W

CUTTING WIDTH
320mm

ADJUSTABLE CUTTING HEIGHT
25-65mm - 3 positions

COLLECTION BOX
30L

FOR LAWN SIZES UP TO
250m²

- Safety button
- Adjustable height setting
- Cable relief
- SHARPP cutting blade



POWXG6211TB GRASS TRIMMER

RATED POWER
250W

CUTTING WIDTH
220mm

SPOOL
Ø1.2mm - 2m (double thread)

- Tap & Go thread lengthening

2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING



CUTTING BLADE

SAFETY
BUTTON

CABLE
RELIEF



ADJUSTABLE HEIGHT SETTING

POWXG6251

RATED POWER
1600W

CUTTING WIDTH
380mm

ADJUSTABLE CUTTING HEIGHT
24-75mm - 5 positions

COLLECTION BOX
40L

FOR LAWN SIZES UP TO
500m²

- Safety button
- Central adjustable height setting
- Top carrying handle
- Full box indicator
- Foldable handle for storage
- Adjustable handle height
- Cable relief
- SHARPP cutting blade

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING



CUTTING BLADE

SOFT GRIP

CABLE
RELIEF

ADJUSTABLE
HANDLE
HEIGHT



FULL BOX INDICATOR



MULCHING FUNCTION



LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDOS ELÉCTRICOS

POWXG6281

RATED POWER
2000W

CUTTING WIDTH
420mm

ADJUSTABLE CUTTING HEIGHT
26-80mm - 5 positions

COLLECTION BOX
40L

FOR LAWN SIZES UP TO
500m²

- Safety button
- Central adjustable height setting
- Top carrying handle
- Full box indicator
- Foldable handle for storage
- Adjustable handle height
- Cable relief
- SHARPP cutting blade



FULL BOX INDICATOR

3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING



CUTTING BLADE



SOFT GRIP

CABLE RELIEF

ADJUSTABLE HANDLE HEIGHT

TOP CARRYING HANDLE

Ø220mm

Ø150mm



MULCHING FUNCTION

POWPG10240

RATED POWER
1800W

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
30-90mm - 7 positions

COLLECTION BAG
60L

FOR LAWN SIZES UP TO
1000m²

- Induction motor
- Safety button
- Central cutting height adjustment
- Front carrying handle
- Foldable handle
- Adjustable handle height
- Steel housing
- Collection bag with hard plastic top
- Ball bearing wheels: easy to push
- SHARPP cutting blade



3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING



CUTTING BLADE

LONG LIFE HIGH QUALITY
INDUCTION MOTOR



POWER-ON INDICATOR

SOFT GRIP

ADJUSTABLE HANDLE HEIGHT

CABLE RELIEF

CENTRAL ADJUSTABLE HEIGHT SETTING

COLLECTION BAG

FRONT CARRYING HANDLE

Ø275mm

Ø200mm



POWPG10260

RATED POWER
1800W

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
30-75mm - 7 positions

COLLECTION BAG
60L

FOR LAWN SIZES UP TO
1000m²

- Induction motor
- Self-propelled
- Safety button
- Central cutting height adjustment
- Front carrying handle
- Foldable handle
- Adjustable handle height
- Steel housing
- Collection bag with hard plastic top
- Ball bearing wheels: easy to push
- SHARPP cutting blade




3 FUNCTIONS

- REAR DISCHARGE
- MULCHING FUNCTION
- COLLECTING



CUTTING BLADE

LONG LIFE HIGH QUALITY
INDUCTION MOTOR



POWER-ON INDICATOR





LAWNMOWERS

ELEKTRISCHE GRASMAAIERS // TONDEUSES À GAZON ÉLECTRIQUES
ELEKTRO-RASENMÄHER // CORTACÉSPEDES ELÉCTRICOS

							
	POWEG63703	POWEG63705 NEW	POWXG6212T NEW	POWXG6251	POWXG6281	POWPG10240	POWPG10260
RATED POWER	1000W	1300W	1300W	1600W	2000W	1800W	1800W
CUTTING WIDTH	320mm	320mm	320mm	380mm	420mm	460mm	460mm
ADJUSTABLE CUTTING HEIGHT	25-65mm 3 positions	25-65mm 3 positions	25-65mm 3 positions	24-75mm 5 positions	26-80mm 5 positions	30-90mm 7 positions	30-75mm 7 positions
COLLECTION BAG/BOX	30L	30L	30L	40L	40L	60L	60L
LAWN SIZE UP TO	250m ²	250m ²	250m ²	500m ²	500m ²	1000m ²	1000m ²
FEATURES							
INDUCTION MOTOR	-	-	-	-	-	✓	✓
MULCHING FUNCTION	-	-	-	✓	✓	✓	✓
HOUSING	Plastic	Plastic	Plastic	Plastic	Plastic	Steel	Steel
SELF-PROPELLED	-	-	-	-	-	-	✓
EXTRA							
	-	-	+ grass trimmer 250W	-	-	-	-
ACCESSORIES							
	-	-	POWACG1072 (for trimmer)	-	-	-	-
							
	5 400338 077494 >	5 400338 093180 >	5 400338 093227 >	5 400338 077142 >	5 400338 077159 >	5 400338 079856 >	5 400338 079863 >





POWEG63731 **NEW**

CYLINDER CAPACITY
150cc

CUTTING WIDTH
390mm

ADJUSTABLE CUTTING HEIGHT
30-65mm - 3 positions

COLLECTION BAG
40L

FOR LAWN SIZES UP TO
500m²

- Eco driver 4-stroke engine
- Central adjustable height setting
- Foldable handle



2 FUNCTIONS

- REAR DISCHARGE
- COLLECTING



COLLECTION BAG

PICTURE FOR ILLUSTRATION
PURPOSE ONLY



use with fuel type
95|E10 98|E5



POWEG63773

CYLINDER CAPACITY
132cc

CUTTING WIDTH
410mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECTION BAG
45L

FOR LAWN SIZES UP TO
600m²

- Self-propelled
- Eco driver 4-stroke engine
- Central adjustable height setting
- Steel housing



3 FUNCTIONS

- REAR DISCHARGE
- MULCHING
- COLLECTING



COLLECTION BAG

Ø203mm

Ø178mm



use with fuel type
95|E10 98|E5





LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA

POWXG60240

CYLINDER CAPACITY
141cc

CUTTING WIDTH
460mm

ADJUSTABLE CUTTING HEIGHT
25-74mm - 7 positions

COLLECTION BAG
55L

FOR LAWN SIZES UP TO
1000m²

- Self-propelled
- Eco driver 4-stroke engine
- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collection bag with hard plastic top
- Full box indicator
- Easy cleaning water nozzle
- Ball bearing wheels: easy to push
- SHARPP cutting blade



WATER NOZZLE FOR EASY CLEANING

4
STROKE

5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING
- EDGE CUTTING
- COLLECTING



CUTTING BLADE



SOFT GRIP

COLLECTION BAG

Ø254mm

Ø178mm



TORCH
SPARK
PLUG



1L: POWOIL033
5L: POWOIL035



STEEL
HOUSING

use with fuel type
95|E10 98|E5



SELF-
PROPELLED
EXTRA COMFORTABLE MOWING



MULCHING FUNCTION

POWXG60245

CYLINDER CAPACITY
173cc

CUTTING WIDTH
510mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECTION BAG
65L

FOR LAWN SIZES UP TO
1500m²

- Self-propelled
- Eco driver 4-stroke engine
- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collection bag with hard plastic top
- Full box indicator
- Easy cleaning water nozzle
- Ball bearing wheels: easy to push
- Bull bar protection
- SHARPP cutting blade



MULCHING FUNCTION

4
STROKE

5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING
- EDGE CUTTING
- COLLECTING



CUTTING BLADE



SOFT GRIP

COLLECTION BAG

Ø254mm

Ø203mm

BULL BAR
PROTECTION



TORCH
SPARK
PLUG



1L: POWOIL033
5L: POWOIL035



STEEL
HOUSING

use with fuel type
95|E10 98|E5



SELF-
PROPELLED
EXTRA COMFORTABLE MOWING



WATER NOZZLE FOR EASY CLEANING



POWXG60250

CYLINDER CAPACITY
196cc

CUTTING WIDTH
530mm

ADJUSTABLE CUTTING HEIGHT
25-75mm - 7 positions

COLLECTION BAG
65L

FOR LAWN SIZES UP TO
1500m²

- Self-propelled
- Eco driver turbo 4-stroke engine
- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collection bag with hard plastic top
- Full box indicator
- Easy cleaning water nozzle
- Ball bearing wheels: easy to push
- Bull bar protection
- SHARPP cutting blade

4
STROKE

5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING
- EDGE CUTTING
- COLLECTING



CUTTING BLADE

SOFT GRIP

COLLECTION BAG



BULL BAR
PROTECTION

Ø203mm

Ø254mm



MULCHING FUNCTION



WATER NOZZLE FOR EASY CLEANING



use with fuel type
95|E10 98|E5





LAWNMOWERS

BENZINE GRASMAAIERS // TONDEUSES À GAZON À ESSENCE
BENZIN-RASENMÄHER // CORTACÉSPEDES A GASOLINA

POWPG10120

CYLINDER CAPACITY
189cc

CUTTING WIDTH
560mm

ADJUSTABLE CUTTING HEIGHT
25-70mm - 7 positions

COLLECTION BAG
70L

FOR LAWN SIZES UP TO
1500m²

- Self-propelled
- Yamaha 4-stroke engine
- Central adjustable height setting
- Adjustable handle height
- Steel housing
- Collection bag with hard plastic top
- Full bag indicator
- Ball bearing wheels: easy to push
- Bull bar protection
- Foldable handle
- SHARPP cutting blade

4
STROKE

POWERED BY
YAMAHA

5 FUNCTIONS

- SIDE DISCHARGE
- REAR DISCHARGE
- MULCHING
- EDGE CUTTING
- COLLECTING



CUTTING BLADE



SIDE DISCHARGE



TORCH
SPARK
PLUG



1L: POWOIL033
5L: POWOIL035



use with fuel type
95|E10 98|E5



SHARPP CUTTING BLADE





						
	POWEG63731 NEW	POWEG63773	POWXG60240	POWXG60245	POWXG60250	POWPG10120
CYLINDER CAPACITY	150cc	132cc	141cc	173cc	196cc	189cc
ENGINE POWER	2.4kW	2.5kW	2.5kW	3.3kW	3.8kW	3.2kW
ENGINE TYPE	Eco driver 4-stroke	Eco driver 4-stroke	Eco driver 4-stroke	Eco driver power 4-stroke	Eco driver turbo 4-stroke	Yamaha 4-stroke
CUTTING WIDTH	390mm	410mm	460mm	510mm	530mm	560mm
ADJUSTABLE HEIGHT	30-65mm 3 positions	25-75mm 7 positions	25-74mm 7 positions	25-75mm 7 positions	25-75mm 7 positions	25-70mm 7 positions
COLLECTION BAG/BOX	40L	45L	55L	65L	65L	70L
LAWN SIZE UP TO	500m ²	600m ²	1000m ²	1500m ²	1500m ²	1500m ²
FEATURES						
MULCHING FUNCTION	-	✓	✓	✓	✓	✓
HOUSING	Plastic	Steel	Steel	Steel	Steel	Steel
SELF-PROPELLED	-	✓	✓	✓	✓	✓
EDGE CUTTING	-	-	✓	✓	✓	✓
ACCESSORIES						
SPARK PLUG	POWACG2011	POWACG2011	POWACG2011	POWACG2011	POWACG2011	-
						



GARDEN BAGS
POWXGSG2 / POWXGSG4



LAWNMOWER BRUSH - 20 PCS / DISPLAY
POWACG9010



LAWN SCARIFIERS/ AERATORS

VERTICUTEERDERS/GAZONVERLUCHTERS // SCARIFICATEURS/AÉRATEURS DE GAZON
VERTIKUTIERER/RASENLÜFTER // ESCARIFICADORES/AIREADORES

LAWN SCARIFIERS/AERATORS



ACCU VERTICUTEERDERS/GAZONVERLUCHTERS // SCARIFICATEURS/AÉRATEURS DE GAZON SUR BATTERIE
AKKU VERTIKUTIERER/RASENLÜFTER // ESCARIFICADORES/AIREADORES A BATERÍA

POWDPG8020

RATED VOLTAGE
40V---

WORKING WIDTH
360mm

ADJUSTABLE WORKING DEPTH
-12 → 5mm (5 positions)

COLLECTION BAG
45L

- 11 knives
- 40 steel needles
- Central adjustable depth setting
- Safety button
- Brushless motor



5 400338 079801 >



USE WITH



BATTERY
NOT INCLUDED



BRUSHLESS MOTOR

ADVANTAGES
COMPARED TO A BRUSHED MOTOR

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER





LAWN SCARIFIERS/AERATORS

ELEKTRISCHE VERTICUTEERDERS/GAZONVERLUCHTERS // SCARIFICATEURS/AÉRATEURS DE GAZON ÉLECTRIQUES
ELEKTRO-VERTIKUTIERER/RASENLÜFTER // ESCARIFICADORES/AIREADORES ELÉCTRICOS

POWXG7513

RATED POWER
1400W

WORKING WIDTH
320mm

ADJUSTABLE WORKING DEPTH
-10 → 5mm (4 positions)

COLLECTION BAG
40L

- 10 knives
- 36 steel needles
- Central adjustable depth setting
- Cable relief
- Safety button



5 400338 077128 >



10 KNIVES / 36 STEEL NEEDLES

POWXG7516

RATED POWER
1800W

WORKING WIDTH
360mm

ADJUSTABLE WORKING DEPTH
-12 → 5mm (5 positions)

COLLECTION BAG
45L

- 11 knives
- 40 steel needles
- Central adjustable depth setting
- Cable relief
- Soft grip
- Safety button



5 400338 077104 >



11 KNIVES / 40 STEEL NEEDLES



CULTIVATORS

TUINFREZEN // MOTOCULTEURS // BODENHACKEN // MOTOCULTORES



CULTIVATORS

ELEKTRISCHE TUINFREZEN // MOTOCULTEURS ÉLECTRIQUES
ELEKTRO-BODENHACKEN // MOTOCULTORES ELÉCTRICOS

POWEG7010


RATED POWER
1050W

WORKING WIDTH
320mm

WORKING DEPTH
max. 220mm

KNIFE THICKNESS
1.7mm

- Safety switch
- Cable relief
- 4 hard metal knives
- Bike handle



POWXG72010 NEW


RATED POWER
1500W

WORKING WIDTH
450mm

WORKING DEPTH
max. 220mm

KNIFE THICKNESS
1.5mm

- Safety switch
- Cable relief
- 6 hard metal knives
- Sturdy guiding wheels
- Bike handle





POWXG7214

CYLINDER CAPACITY
173cc

WORKING WIDTH
600mm

WORKING DEPTH
max. 280mm

KNIFE THICKNESS
3.8mm

- Eco driver power 4-stroke engine
- 6 reinforced steel knives
- Forward / reverse lever
- Guiding wheel
- Depth regulator

4
STROKE



FORWARD/REVERSE
LEVER

THROTTLE HANDLE

ADJUSTABLE
HANDLEBAR

DEPTH
REGULATOR

6 REINFORCED STEEL KNIVES



HANDLEBAR ADJUSTABLE IN 3 POSITIONS



TORCH
SPARK
PLUG



1L: POWOIL033
5L: POWOIL035

use with fuel type
95|E10 98|E5





CULTIVATORS

BENZINE TUINFREZEN // MOTOCULTEURS À ESSENCE
BENZIN-BODENHACKEN // MOTOCULTORES A GASOLINA

POWXG7217

CYLINDER CAPACITY
208cc

WORKING WIDTH
max. 1050mm

WORKING DEPTH
max. 310mm

KNIFE THICKNESS
4.7mm

- Eco driver turbo 4-stroke engine
- Plough
- 4-6 reinforced steel knives
- Forward / reverse lever
- Tools for easy mounting
- Handlebar can be used in different positions
- Traction on both wheels for easy handling
- Adjustable speed setting



4
STROKE

SPEED REGULATOR



CLUTCH HANDLE

ADJUSTABLE
HANDLEBAR

SHIFT LEVER

CULTIVATOR

4-6 REINFORCED
STEEL KNIVES

PLOUGH



use with fuel type
95|E10 98|E5



HANDLEBAR ADJUSTABLE IN 3 POSITIONS



				
	POWEG7010	POWXG72010 NEW	POWXG7214	POWXG7217
RATED POWER	1050W	1500W	-	-
CYLINDER CAPACITY	-	-	173cc	208cc
ENGINE TYPE	-	-	Eco driver power 4-stroke	Eco driver turbo 4-stroke
WORKING WIDTH	320mm	450mm	600mm	max. 1050mm
WORKING DEPTH	max. 220mm	max. 220mm	max. 280mm	max. 310mm
NUMBER OF KNIVES	4	6	6	4-6
KNIFE THICKNESS	1.7mm	1.5mm	3.8mm	4.7mm
FEATURES				
FORWARD / REVERSE LEVER	-	-	✓	✓
WHEEL(S)	-	✓	✓	✓
ACCESSORIES				
COMPATIBLE SPARK PLUG	-	-	POWACG2011	POWACG2011
	 5 400338 073281 >	 5 400338 092596 >	 5 400338 067686 >	 5 400338 067730 >





GRASS TRIMMERS

GRASTRIMMERS // COUPE-BORDURES // RASENTRIMMER // CORTABORDES





POWDPG7541

RATED VOLTAGE
20V $\equiv$

CUTTING WIDTH
250mm

SPOOL
Ø1.6mm - 5m (single thread)

- Aluminium telescopic shaft
- Edge roller
- Flower protection
- Automatic spool
- Adjustable trimming angle
- Adjustable auxiliary handle
- Soft grip
- Safety guard



POWDPG75420

GRASS TRIMMER

RATED VOLTAGE
20V $\equiv$

CUTTING WIDTH
250mm

SPOOL
Ø1.6mm - 5m (single thread)

- Aluminium telescopic shaft
- Edge roller
- Flower protection
- Automatic spool
- Adjustable trimming angle
- Adjustable auxiliary handle
- Soft grip
- Safety guard



BATTERY + CHARGER

RATED VOLTAGE
20V $\equiv$ LI-ION

BATTERY CAPACITY
2000mAh

CHARGER OUTPUT
21V $\equiv$ /4.0A

CHARGING TIME 20V BATTERY
40min

CHARGING TIME 40V BATTERY
2h





GRASS TRIMMERS

ACCU GRASTRIMMERS // COUPE-BORDURES SUR BATTERIE
AKKU RASENTRIMMER // CORTABORDES A BATERÍA

POWDPG7546

RATED VOLTAGE

40V

CUTTING WIDTH

300mm

SPOOL

Ø1.6mm - 10m (double thread)

- Aluminium telescopic shaft
- Edge roller
- Flower protection
- Automatic spool
- Adjustable trimming angle
- Adjustable auxiliary handle
- Soft grip
- Safety guard



USE WITH



BATTERY
NOT INCLUDED

ADJUSTABLE
AUXILIARY
HANDLE



TELESCOPIC ALUMINIUM SHAFT
420-770mm



AUTOMATIC THREAD
LENGTHENING

EDGE
ROLLER



EDGE ROLLER



FLOWER PROTECTION

			
	POWDPG7541	POWDPG75420	POWDPG7546
RATED VOLTAGE	20V ~	20V ~	40V ~
CUTTING WIDTH	250mm	250mm	300mm
SPOOL	Ø1.6mm - 5m (single thread)	Ø1.6mm - 5m (single thread)	Ø1.6mm - 10m (double thread)
SHAFT	Telescopic 60-410mm	Telescopic 60-410mm	Telescopic 420-770mm
ADJUSTABLE AUXILIARY HANDLE	✓	✓	✓
SAFETY GUARD	✓	✓	✓
FLOWER PROTECTION	✓	✓	✓
EDGE ROLLER	✓	✓	✓
THREAD LENGTHENING	Automatic	Automatic	Automatic
	-	+ 20V battery 2.0Ah + charger 20V/40V	-
COMPATIBLE SPOOL	POWDPG7001	POWDPG7001	POWDPG7006
COMPATIBLE BATTERY	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040
COMPATIBLE CHARGER	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055
	 5 400338 083280 >	 5 400338 074844 >	 5 400338 083297 >

NEW
GENERATION
BATTERIES





GRASS TRIMMERS

ELEKTRISCHE GRASTRIMMERS // COUPE-BORDURES ÉLECTRIQUES
ELEKTRO-RASENTRIMMER // CORTABORDES ELÉCTRICOS




POWEG6015

RATED POWER
300W

CUTTING WIDTH
250mm

SPOOL
Ø1.4mm - 3m (double thread)

- Automatic spool
- Guide handle
- Flower protection
- Safety guard
- Cable relief



AUTOMATIC
THREAD LENGTHENING




POWXG30030

RATED POWER
400W

CUTTING WIDTH
270mm

SPOOL
Ø1.4mm - 5m (double thread)

- Intelligent thread lengthening
- Edge roller
- Flower protection
- Aluminium telescopic shaft
- Cable relief
- Soft grip
- Safety guard



FLOWER PROTECTION



**INTELLIGENT
THREAD LENGTHENING**
TIME SAVING / FULLY SELF ADJUSTABLE WIRE
30% MORE CUTTING CAPACITY



POWXG30033

RATED POWER
500W

CUTTING WIDTH
320mm

SPOOL
Ø1.6mm - 4m (double thread)

- Intelligent thread lengthening
- Edge roller
- Flower protection
- Aluminium telescopic shaft
- Cable relief
- Soft grip
- Safety guard



EDGE ROLLER



**INTELLIGENT
THREAD LENGTHENING**
TIME SAVING / FULLY SELF ADJUSTABLE WIRE
30% MORE CUTTING CAPACITY



POWXG30035

RATED POWER
600W

CUTTING WIDTH
350mm

SPOOL
Ø1.6mm - 4m (double thread)

- Intelligent thread lengthening
- Edge roller
- Flower protection
- Aluminium telescopic shaft
- Cable relief
- Soft grip
- Safety guard



EDGE ROLLER



**INTELLIGENT
THREAD LENGTHENING**
TIME SAVING / FULLY SELF ADJUSTABLE WIRE
30% MORE CUTTING CAPACITY



GRASS TRIMMERS

ELEKTRISCHE GRASTRIMMERS // COUPE-BORDURES ÉLECTRIQUES
ELEKTRO-RASENTRIMMER // CORTABORDES ELÉCTRICOS

POWPG40220

RATED POWER
650W

CUTTING WIDTH
320mm

SPOOL
Ø1.5mm - 8m
(double thread - twisted)

- Intelligent thread lengthening
- Adjustable trimming angle
- Edge roller
- Flower protection
- Aluminium telescopic shaft
- Soft grip
- Safety guard



TELESCOPIC ALUMINIUM SHAFT
280-560mm

FLOWER PROTECTION/
EDGE ROLLER

ADJUSTABLE
TRIMMING ANGLE

SAFETY GUARD



**INTELLIGENT
THREAD LENGTHENING**
TIME SAVING / FULLY SELF-ADJUSTABLE WIRE
30% MORE CUTTING CAPACITY



EDGE ROLLER





POWXG50100

CYLINDER CAPACITY
26.5cc

CUTTING WIDTH
430mm

FUEL TANK CAPACITY
240ml

- 4-stroke
- Light & compact
- Automatic choke
- Easy start
- Tap & Go thread lengthening
- Safety guard

4
STROKE



use with fuel type
95|E10 98|E5



4-STROKE

LIGHT &
COMPACT

LONGER LIFESPAN
EASY START SYSTEM
ENVIRONMENTALLY FRIENDLY
POWERFUL MOTOR
LOWER NOISE LEVEL
LESS VIBRATION
NO FUEL-OIL MIX

NEW LIGHT & COMPACT GARDEN TOOLS

SEE ALSO

POWXG50200 BRUSH CUTTER (page 49)
POWXG50300 HEDGE TRIMMER (page 64)
POWXG50400 LEAF BLOWER (page 83)





GRASS TRIMMERS

GRASTRIMMERS // COUPE-BORDURES
 RASENTRIMMER // CORTABORDES

						
	POWEG6015	POWXG30030	POWXG30033	POWXG30035	POWPG40220	POWXG50100
RATED POWER	300W	400W	500W	600W	650W	-
CYLINDER CAPACITY	-	-	-	-	-	26.5cc
ENGINE TYPE	-	-	-	-	-	4-stroke
CUTTING WIDTH	250mm	270mm	320mm	350mm	320mm	430mm
SPOOL	Ø1.4mm - 3m (double thread)	Ø1.4mm - 5m (double thread)	Ø1.6mm - 4m (double thread)	Ø1.6mm - 4m (double thread)	Ø1.5mm - 8m (double thread) (twisted)	
FUEL TANK CAPACITY	-	-	-	-	-	240ml
FEATURES						
SHAFT	Straight	Telescopic 1100-1300mm	Telescopic 1200-1500mm	Telescopic 1200-1500mm	Telescopic	Curved
ADJUSTABLE AUXILIARY HANDLE	-	✓	✓	✓	✓	✓
SAFETY GUARD	✓	✓	✓	✓	✓	✓
FLOWER PROTECTION	✓	✓	✓	✓	✓	-
EDGE ROLLER	-	✓	✓	✓	✓	-
SPARK PLUG	-	-	-	-	-	✓
VIBRATION REDUCTION SYSTEM	-	-	-	-	-	-
HEAVY DUTY CLUTCH	-	-	-	-	-	-
THREAD LENGTHENING	Automatic	Intelligent	Intelligent	Intelligent	Intelligent	Tap & Go
ACCESSORIES						
COMPATIBLE SPOOL	POWACG1202	POWACG1152	POWACG1162 POWACG1172	POWACG1162 POWACG1172	POWACG1122 POWACG1132	POWACG1211
SPOOLS INCLUDED	1x POWACG1202	1x POWACG1152	1x POWACG1162 2x POWACG1172	2x POWACG1162 2x POWACG1172	1x POWACG1122 3x POWACG1132	POWACG1211
COMPATIBLE SPARK PLUG	-	-	-	-	-	-
						
	5 400338 073021 >	5 400338 067082 >	5 400338 067099 >	5 400338 067105 >	5 400338 080128 >	5 400338 080265 >



BRUSH CUTTERS

BOSMAAIERS // DÉBROUSSAILLEUSES // FREISCHNEIDER // DESBROZADORAS



BRUSH CUTTERS

ACCU BOSMAAIERS // DÉBROUSSAILLEUSES SUR BATTERIE
AKKU FREISCHNEIDER // DESBROZADORAS A BATERÍA

POWDPG7551

RATED VOLTAGE
40V---

CUTTING WIDTH
trimmer: 320mm - cutter: 255mm

BLADE
255x25.4mm - 3T

SPOOL
Ø2mm - 5m (double thread)

- Tap & Go thread lengthening
- Bike handle
- Soft grip
- Carrying belt
- Safety guard with thread cutter
- Aluminium tube
- On/off-switch with battery indicator
- Brushless motor

BRUSHLESS MOTOR



ADVANTAGES
COMPARED TO A BRUSHED MOTOR

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER



USE WITH



BATTERY
NOT INCLUDED



GRASS TRIMMER



BRUSH CUTTER





POWDPG7553

RATED VOLTAGE
40V---

CUTTING WIDTH
trimmer: 320mm - cutter: 255mm

BLADE BRUSH CUTTER
255x25.4mm - 3T

SPOOL
Ø2mm - 5m (double thread)

BAR SIZE CHAINSAW
200mm / 8"

BLADE LENGTH HEDGE TRIMMER
410mm / 16"


- Tap & Go thread lengthening
- Safety guard with thread cutter
- Guide handle
- Safety switch
- Carrying belt
- Automatic chain oiler
- Laser cut double action blade
- Aluminium tube
- On/off-switch with battery indicator
- Brushless motor



USE WITH



BATTERY
NOT INCLUDED



4 IN 1 GARDEN MULTITool





BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA

POWEG8012

CYLINDER CAPACITY
42.7cc

CUTTING WIDTH
trimmer: 460mm - cutter 255mm

FUEL TANK CAPACITY
1200ml

BLADE
255x25.4mm - 3T

SPOOL
Ø2.4mm x 5m (double thread)

- Tap & Go thread lengthening
- 2-stroke engine
- Bike handle
- Double shoulder harness
- Quick harness disconnection
- Safety guard with thread cutter
- Vibration reduction system



SAFETY SWITCH
& THROTTLE
TRIGGER

RUBBER
GRIP

SAFETY GUARD




SHOULDER HARNESS

use with fuel type
95|E10 98|E5



BRUSH CUTTER



GRASS TRIMMER



POWXG30410

CYLINDER CAPACITY
32.5cc

CUTTING WIDTH
trimmer: 420mm - cutter 255mm

FUEL TANK CAPACITY
1100ml

BLADE
255x25.4x1.4mm - 3T

SPOOL Ø2.4mm - 4m
(double thread)

- Tap & Go thread lengthening
- Easy start engine
- 2-stroke engine
- Bike handle
- Double shoulder harness
- Safety guard with thread cutter
- Vibration reduction system
- Heavy duty clutch
- Full crank engine

use with fuel type
95|E10 98|E5



SHOULDER HARNESS



BRUSH CUTTER



GRASS TRIMMER

POWXG30412

CYLINDER CAPACITY
52cc

CUTTING WIDTH
trimmer: 420mm - cutter 255mm


FUEL TANK CAPACITY
1100ml

BLADE
255x25.4x1.4mm - 3T

SPOOL Ø2.4mm - 4m
(double thread)

- Tap & Go thread lengthening
- Easy start engine
- 2-stroke engine
- Bike handle
- Double shoulder strap
- Safety guard with thread cutter
- Vibration reduction system
- Heavy duty clutch
- Full crank engine

use with fuel type
95|E10 98|E5



SHOULDER HARNESS



BRUSH CUTTER



GRASS TRIMMER



BRUSH CUTTERS

BENZINE BOSMAAIERS // DÉBROUSSAILLEUSES À ESSENCE
BENZIN FREISCHNEIDER // DESBROZADORAS A GASOLINA

4^{IN}1 GARDEN MULTITOO

POWXG3026


CYLINDER CAPACITY

47.2cc


FUEL TANK CAPACITY

1160ml

- Easy start engine
- 2-stroke engine
- Automatic choke (switch off)
- Vibration reduction system
- Quick stop



SHOULDER HARNESS



1060mm

D-HANDLE

EXTENSION
FOR CHAINSAW AND
HEDGE TRIMMER
880mm

use with fuel type
98 | E5



1L: POWOIL023
5L: POWOIL025

40:1



1. GRASS TRIMMER

CUTTING WIDTH

430mm

SPOOL

Ø2.4mm - 6m (double thread)

- Tap & Go thread lengthening

LENGTH GRASS TRIMMER + SHAFT 870mm
TOTAL LENGTH 1930mm



2. BRUSH CUTTER

CUTTING WIDTH

255mm

BLADE DIMENSIONS

255x25.4x1.4mm - 3T

LENGTH BRUSH CUTTER + SHAFT 870mm
TOTAL LENGTH 1930mm



3. CHAINSAW

BAR SIZE

250mm / 10"

- Chain & bar type: Oregon
- Automatic chain oiler

LENGTH CHAINSAW + SHAFT 1020mm
TOTAL LENGTH without extension 2080mm
TOTAL LENGTH with extension 2960mm



4. HEDGE TRIMMER

CUTTING LENGTH

365mm

BLADE LENGTH

400mm

KNIFE DISTANCE

24mm

- Adjustable head
- Double action blade
- Quick stop

LENGTH HEDGE TRIMMER + SHAFT 1240mm
TOTAL LENGTH without extension 2300mm
TOTAL LENGTH with extension 3180mm



POWXG50200

CYLINDER CAPACITY
31cc

CUTTING WIDTH
trimmer: 450mm - cutter 255mm

FUEL TANK CAPACITY
240ml

BLADE DIMENSIONS
255x25.4x1.4mm - 3T

SPOOL
Ø2.5mm - 5m (double thread)

- 4-stroke engine
- Easy start engine
- Automatic choke
- Vibration reduction system
- Bike handle
- Safety guard
- Tap & Go thread lengthening



4
STROKE



CARRYING BELT

4-STROKE

SEE ALSO

POWXG50100
GRASS TRIMMER
(page 41)

POWXG50300
HEDGE TRIMMER
(page 64)

POWXG50400
LEAF BLOWER
(page 83)

LIGHT &
COMPACT

LONGER LIFESPAN
EASY START SYSTEM
ENVIRONMENTALLY FRIENDLY
POWERFUL MOTOR
LOWER NOISE LEVEL
LESS VIBRATION
NO FUEL-OIL MIX



use with fuel type
95|E10 98|E5



POWPG40140

CYLINDER CAPACITY
41.2cc

CUTTING WIDTH
trimmer: 460mm - cutter 255mm

FUEL TANK CAPACITY
1000ml

BLADE DIMENSIONS
255mm - 3T

SPOOL Ø2.4mm - 6m
(double thread)

- Easy start engine
- 2-stroke engine
- Electronic ignition
- Automatic choke
- Vibration reduction system
- Safety switch
- Bike handle
- Safety guard
- Heavy duty clutch
- Tap & Go thread lengthening



**PRO
POWER**



SHOULDER HARNESS

use with fuel type
95|E10 98|E5



TAP & GO THREAD LENGTHENING



BRUSH CUTTERS

BOSMAAIERS // DÉBROUSSAILLEUSES
FREISCHNEIDER // DESBROZADORAS

								
	POWDPG7551	POWDPG7553	POWEG8012	POWXG30410	POWXG30412	POWXG3026 4-IN-1	POWXG50200 4-STROKE	POWPG40140
RATED VOLTAGE	40V 	40V 	-	-	-	-	-	-
CYLINDER CAPACITY	-	-	42.7cc	32.5cc	52cc	42.7cc	31cc	41.2cc
ENGINE TYPE	-	-	2-stroke	2-stroke	2-stroke	2-stroke	4-stroke	2-stroke
CUTTING WIDTH	trimmer: 320mm cutter: 255mm	trimmer: 320mm cutter: 255mm hedge: 410mm bar: 200mm	trimmer: 460mm cutter: 255mm	trimmer: 420mm cutter: 255mm	trimmer: 420mm cutter: 255mm	trimmer: 430mm cutter: 255mm hedge: 400mm chain bar: 250mm	trimmer: 450mm cutter: 255mm	trimmer: 460mm cutter: 255mm
FUEL TANK CAPACITY	-	-	1200ml	1100ml	1100ml	1160ml	240ml	1000ml
MOTOR	Brushless motor	Brushless motor						
FEATURES								
SPARK PLUG	-	-	CDK	NHSP	NHSP	✓	✓	Champion
BIKE HANDLE	✓	-	✓	✓	✓	-	✓	✓
EASY START	-	-	-	✓	✓	✓	✓	✓
VIBRATION REDUCTION SYSTEM	✓	✓	✓	✓	✓	✓	✓	✓
AUTOMATIC CHOKE SWITCH OFF	-	-	-	-	-	✓	✓	✓
HEAVY DUTY CLUTCH	-	-	-	✓	✓	-	-	✓
CARRYING BELT	✓	✓	-	-	-	-	✓	-
SHOULDER HARNESS	-	-	✓	✓	✓	✓	-	✓
THREAD LENGTHENING SYSTEM								
TAP & GO	✓	✓	✓	✓	✓	✓	✓	-
AUTOMATIC	-	-	-	-	-	-	-	✓
ACCESSORIES								
SPOOL	POWACG1261	POWACG1261	POWACG1051	POWACG1051	POWACG1051	POWACG1051	POWACG1221	POWACG1051
BLADE	POWACG3021	POWACG3021	POWACG3021	POWACG3021	POWACG3021	POWACG3021	POWACG3011	POWACG3021
CHAIN	-	POWACG4100	-	-	-	POWACG4201	-	-
COMPATIBLE SPARK PLUG	-	-	POWACG2013	POWACG2013	POWACG2013	POWACG2013	-	POWACG2013
								
	5 400338 090752 >	5 400338 090745 >	5 400338 088599 >	5 400338 082740 >	5 400338 082764 >	5 400338 077029 >	5 400338 080272 >	5 400338 080111 >



HEDGE TRIMMERS

HAAGSCHAREN // TAILLE-HAIES // HECKENSCHEREN // CORTASETOS



HEDGE TRIMMERS

ACCU GRAS-/HAAGSCAREN // CISAILLES À GAZON/HAIE
SUR BATTERIE // AKKU GRAS-/HECKENSCHEREN
TIJERAS CORTACÉSPED/CORTASETOS À BATERÍA



POWEG4500

RATED VOLTAGE
7.2V

CUTTING WIDTH
grass shear: 83mm
hedge shear: 120mm

BATTERY CAPACITY
1500 mAh Li-ion

- 3-5h charger
- Easy-quick blade change system
- Security key
- Led charging indicator

Li-ion
BATTERY



EASY BLADE CHANGE



POWXG2033 NEW

RATED VOLTAGE
7.2V

CUTTING WIDTH
grass shear: 100mm
hedge shear: 180mm

BATTERY CAPACITY
1500mAh Li-ion

- 2-3h charger
- Easy-quick blade change system
- Blade guard
- Protective nose with hanging hole
- Battery charger status indicator
- Adjustable handle



EASY BLADE CHANGE

Li-ion
BATTERY



**ONE
FITS ALL**
18V LITHIUM-ION
BATTERY SERIES

ONE BATTERY FITS ALL
EB-RANGE POWER AND
GARDEN TOOLS

BATTERIES AND CHARGER
ARE NOT INCLUDED

**BATTERY
NOT INCLUDED**

POWEBG7530

RATED VOLTAGE

18V

KNIFE DISTANCE

14.5mm

CUTTING LENGTH

410mm

BLADE LENGTH

480mm

- Double action blade
- Safety guard
- Two-handed operation
- Quick stop
- Soft grip
- Auxiliary handle with safety switch
- Safety trigger

GUIDE HANDLE
WITH SAFETY SWITCH

SAFETY
GUARD

DOUBLE ACTION
BLADE

PROTECTIVE COVER





HEDGE TRIMMERS

ACCU GRAS-/HAAGSCAREN // CISAILLES À GAZON/HAIE
SUR BATTERIE // AKKU GRAS-/HECKENSCHEREN
TIJERAS CORTACÉSPED/CORTASETOS À BATERÍA

POWDPG7531

RATED VOLTAGE
20V $\equiv$

KNIFE DISTANCE
18mm

CUTTING LENGTH
510mm

BLADE LENGTH
580mm

- Laser cut double action blade
- Easy start engine
- Safety guard
- Safety trigger
- Two-handed operation
- Quick stop
- Soft grip
- Guide handle with safety switch
- Protective nose with hanging hole



USE WITH



**BATTERY
NOT INCLUDED**



POWDPG75320

HEDGE TRIMMER

RATED VOLTAGE
20V $\equiv$

KNIFE DISTANCE
18mm

CUTTING LENGTH
510mm

BLADE LENGTH
580mm

- Laser cut double action blade
- Safety guard
- Safety trigger
- Two-handed operation
- Quick stop
- Soft grip
- Auxiliary handle with safety switch



BATTERY + CHARGER

RATED VOLTAGE
20V $\equiv$ LI-ION

BATTERY CAPACITY
2000mAh

CHARGER OUTPUT
21V $\equiv$ /4.0A

CHARGING TIME 20V BATTERY
40min

CHARGING TIME 40V BATTERY
2h



PROMO



USE WITH





POWDPG7536

RATED VOLTAGE
40V₋₋₋

KNIFE DISTANCE
22mm

CUTTING LENGTH
600mm

BLADE LENGTH
670mm

- Laser cut double action blade
- Easy start engine
- Safety guard
- Two-handed operation
- Quick stop
- Rotatable handle with soft grip
- Auxiliary handle with safety switch
- Protective nose with hanging hole



**40
VOLT
TOOL**

USE WITH



GUIDE HANDLE
WITH SAFETY SWITCH

SAFETY GUARD

DOUBLE ACTION /
LASER CUT BLADE

PROTECTIVE NOSE WITH
HANGING HOLE

PROTECTIVE COVER



SOFT GRIP

ROTATABLE
HANDLE

**BATTERY
NOT INCLUDED**



HEDGE TRIMMERS

ACCU GRAS-/HAAGSCAREN // CISAILLES À GAZON/HAIE
SUR BATTERIE // AKKU GRAS-/HECKENSCHEREN
TIJERAS CORTACÉSPED/CORTASETOS À BATERÍA

POWDPG75380 NEW


RATED VOLTAGE
40V₋₋₋

KNIFE DISTANCE
20mm

CUTTING LENGTH
510mm

BLADE LENGTH
600mm

- Laser cut double action blade
- Safety trigger
- Quick stop
- Telescopic
- Soft grip
- Adjustable head
- Protective nose with hanging hole



USE WITH



**BATTERY
NOT INCLUDED**



							
	2-IN-1 POWEG4500	NEW 2-IN-1 POWXG2033	POWEBG7530	POWDPG7531	POWDPG75320	POWDPG7536	NEW POWDPG75380
RATED VOLTAGE	7.2V 	7.2V 	18V 	20V 	20V 	40V 	40V 
KNIFE DISTANCE	8mm	8mm	14.5mm	18mm	18mm	22mm	20mm
BLADE LENGTH	83mm / 120mm	100mm / 180mm	480mm	580mm	580mm	670mm	600mm
BATTERY CAPACITY	1500mAh Li-Ion	1500mAh Li-Ion	-	-	2000mAh Li-Ion	-	-
QUICK BLADE CHANGE	✓	✓	-	-	-	-	-
FEATURES							
QUICK STOP	✓	-	✓	✓	✓	✓	✓
VIBRATION REDUCTION SYSTEM	-	-	-	-	-	✓	-
LASER CUT BLADE	-	-	-	✓	✓	✓	✓
DOUBLE ACTION BLADE	✓	-	✓	✓	✓	✓	✓
CHARGING TIME	3-5h	2-3h	-	-	-	-	-
CARRYING BELT	-	-	-	-	-	-	✓
EXTRA							
					+ 20V battery 2.0Ah + charger 20V/40V		
ACCESSORIES							
BLADE COVER	✓	✓	✓	✓	✓	✓	✓
COMPATIBLE BATTERY	-	-	POWEB9010 POWEB9013	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040
COMPATIBLE CHARGER	-	-	POWEB9050	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055
							
	5 400338 074455 >	5 400338 092688 >	5 400338 075926 >	5 400338 083310 >	5 400338 074837 >	5 400338 083303 >	5 400338 093371 >

**NEW
GENERATION
BATTERIES**



HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS



POWEG40100 **NEW**



RATED POWER
550W

KNIFE DISTANCE
16mm

CUTTING LENGTH
510mm

BLADE LENGTH
560mm

- Double action blade
- Electrical brake
- Two-handed operation
- Safety guard
- Quick stop
- Cable relief



POWXG2007

RATED POWER
550W

KNIFE DISTANCE
16mm

CUTTING LENGTH
450mm

BLADE LENGTH
525mm

- Laser cut double action blade
- Electrical brake
- Two-handed operation
- Safety guard
- Protective nose with hanging hole
- Quick stop
- Soft grip
- Cable relief





POWXG20080

RATED POWER
600W

KNIFE DISTANCE
20mm

CUTTING LENGTH
550mm

BLADE LENGTH
610mm

- Laser cut double action blade
- Rotatable handle with soft grip
- Mechanical brake
- Two-handed operation
- Safety guard
- Protective nose with hanging hole
- Quick stop



ROTATABLE HANDLE



POWXG20090

RATED POWER
750W

KNIFE DISTANCE
24mm

CUTTING LENGTH
610mm

BLADE LENGTH
690mm

- Laser cut double action blade
- Rotatable handle with soft grip
- Mechanical brake
- Two-handed operation
- Safety guard
- Protective nose with hanging hole
- Quick stop



ROTATABLE HANDLE (4 DIRECTIONS)



HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS

POWXG2043 NEW

2IN1

RATED POWER
750W

KNIFE DISTANCE
24mm

CUTTING LENGTH
510mm

BLADE LENGTH
570mm

- Laser cut double action blade
- Adjustable cutting angle (6 pos.)
- Rotatable head (5 pos.)
- Electrical brake
- Two-handed operation
- Aluminium telescopic shaft
- Safety guard
- Protective nose with hanging hole
- Quick stop
- Quick release
- Soft grip



PROTECTIVE COVER



QUICK RELEASE





POWPG30230

RATED POWER
600W

KNIFE DISTANCE
20mm

CUTTING LENGTH
550mm

BLADE LENGTH
600mm

- Electric brake
- Double action laser cut and diamond sharpened blade
- Quick stop
- Soft grip
- Two handed operation
- Safety guard
- Rotatable handle
- Cable relief





HEDGE TRIMMERS

ELEKTRISCHE HAAGSCHAREN // TAILLE-HAIES ÉLECTRIQUES
ELEKTRO-HECKENSCHEREN // CORTASETOS ELÉCTRICOS

						
	NEW POWEG40100	POWXG2007	POWXG20080	POWXG20090	NEW POWXG2043	POWPG30230
RATED POWER	550W	550W	600W	750W	750W	600W
KNIFE DISTANCE	16mm	16mm	20mm	24mm	24mm	20mm
BLADE LENGTH	560mm	525mm	610mm	690mm	570mm	600mm
FEATURES						
SAFETY GUARD	✓	✓	✓	✓	✓	✓
ROTATABLE HANDLE	-	-	✓	4 directions	5 positions	✓
ADJUSTABLE HEAD	-	-	-	-	6 positions	-
LASER CUT BLADE	-	✓	✓	✓	✓	✓
DOUBLE ACTION BLADE	✓	✓	✓	✓	✓	✓
ACCESSORIES						
PROTECTIVE COVER	✓	✓	✓	✓	✓	✓
CARRYING BELT	-	-	-	-	✓	-
	 5 400338 092220 >	 5 400338 061639 >	 5 400338 083044 >	 5 400338 083051 >	 5 400338 092770 >	 5 400338 080142 >





HEDGE TRIMMERS

BENZINE HAAGSCHAREN // TAILLE-HAIES À ESSENCE
BENZIN-HECKENSCHEREN // CORTASETOS A GASOLINA

POWXG50300

CYLINDER CAPACITY
26.5cc

KNIFE DISTANCE
28mm

CUTTING LENGTH
480mm

BLADE LENGTH
550mm

FUEL TANK CAPACITY
240ml

- Easy start engine
- Automatic choke
- Low emission
- Rotatable handle
- 2-handed operation
- Vibration reduction system
- Laser cut double action blade

4
STROKE



DOUBLE ACTION /
LASER CUT BLADE

PROTECTIVE COVER

ROTATABLE
HANDLE

GUIDE
HANDLE



use with fuel type
95|E10 98|E5



4-STROKE

SEE ALSO

POWXG50100
GRASS TRIMMER
(page 41)

POWXG50200
BRUSH CUTTER
(page 49)

POWXG50400
LEAF BLOWER
(page 83)

LIGHT &
COMPACT

LONGER LIFESPAN
EASY START SYSTEM
ENVIRONMENTALLY FRIENDLY
POWERFUL MOTOR
LOWER NOISE LEVEL
LESS VIBRATION
NO FUEL-OIL MIX

POWPG30110

CYLINDER CAPACITY
22.2cc

KNIFE DISTANCE
27.5mm


CUTTING LENGTH
550mm

BLADE LENGTH
610mm

FUEL TANK CAPACITY
440ml

- Easy start engine
- Heavy duty clutch
- Safety guard
- Rotatable handle
- Vibration reduction system
- Laser cut and diamond sharpened blade

**PRO
POWER**



LASER CUT BLADE
DIAMOND SHARPENED



GUIDE
HANDLE

ROTATABLE
HANDLE

PROTECTIVE COVER

use with fuel type
95|E10 98|E5



ROTATABLE HANDLE





POWEG3010



POWXG2017



4-STROKE

POWXG50300



POWPG30110

CYLINDER CAPACITY

22.5cc

26cc

26.5cc

22.2cc

ENGINE TYPE

2-stroke

2-stroke

4-stroke

2-stroke

KNIFE DISTANCE

28mm

27mm

28mm

27.5mm

BLADE LENGTH

600mm

610mm

550mm

610mm

FUEL TANK

580ml

460ml

280ml

440ml

FEATURES

ROTATABLE HANDLE

✓

✓

✓

✓

ADJUSTABLE HEAD

-

-

-

-

EASY START

-

✓

✓

✓

SPARK PLUG

✓

Torch

✓

Champion

**VIBRATION
REDUCTION SYSTEM**

-

✓

✓

✓

LASER CUT BLADE

-

✓

✓

✓

**DOUBLE ACTION
BLADE**

✓

✓

✓

✓

SAFETY GUARD

✓

✓

✓

✓

CARRYING BELT

-

-

-

-

ACCESSORIES

COVER

✓

✓

✓

✓

**COMPATIBLE
SPARK PLUG**

POWACG2013

POWACG2013

-

POWACG2013



5 400338 073496 >



5 400338 078859 >



5 400338 080241 >



5 400338 080005 >



CHAINSaws

KETTINGZAGEN // TRONÇONNEUSES
KETTENSÄGEN // MOTOSIERRAS

POWDPG7570

RATED VOLTAGE
20V ---

BAR SIZE
300mm / 12"

CHAIN ROTATION SPEED
5.6m/s

OIL TANK CAPACITY
220ml

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Low kickback
- Quick stop
- Soft grip
- Oil level indicator
- Vibration reduction system
- Protective cover



OREGON CHAIN
& GUIDE BAR



PROTECTIVE COVER

**BATTERY
NOT INCLUDED**



USE WITH



SPIKED BUMPER

POWDPG7576

RATED VOLTAGE
40V ---

BAR SIZE
350mm / 14"

CHAIN ROTATION SPEED
11.2m/s

OIL TANK CAPACITY
170ml

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
- Low kickback
- Quick stop
- Soft grip
- Protective cover
- Brushless motor



PROTECTIVE COVER



OREGON CHAIN
& GUIDE BAR



**ADVANTAGES
COMPARED TO A BRUSHED MOTOR**

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER

**BATTERY
NOT INCLUDED**



USE WITH



QUICK TOOLLESS CHAIN ADJUSTMENT



CHAINSaws

ACCu KETTINGZAAG // TRONÇONNEUSE SUR BATTERIE
AKKU-KETTENSÄGE // MOTOSIERRA A BATERÍA

POWDPG75385 **NEW**

RATED VOLTAGE
40V $\equiv$

BAR SIZE
250mm / 10"

CHAIN ROTATION SPEED
4.5m/s

OIL TANK CAPACITY
100ml

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Adjustable head
- Soft grip
- Protective cover



**40
VOLT
TOOL**

USE WITH



OREGON CHAIN
& GUIDE BAR

CARRYING
BELT



OIL LEVEL
INDICATOR

TOTAL LENGTH:
1750-2400mm



PROTECTIVE COVER

SHAFT LENGTH:
860-1470mm

ADJUSTABLE HEAD



QUICK TOOLLESS CHAIN ADJUSTMENT



ALUMINIUM EXTENDABLE SHAFT



ADJUSTABLE HEAD



1L: POWOIL003
5L: POWOIL006

**BATTERY
NOT INCLUDED**




POWEG10100

RATED POWER
2000W

BAR SIZE
350mm / 14"

- Automatic chain oiler
- Oregon chain & guide bar
- Oil level indicator
- Low kickback
- Quick stop
- Safety guard
- Protective cover
- Cable relief



SPIKED
BUMPER



OREGON CHAIN
& GUIDE BAR



PROTECTIVE COVER



POWEG10110


RATED POWER
2200W

BAR SIZE
400mm / 16"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Oil level indicator
- Quick blade change
- Low kickback
- Quick stop
- Safety guard
- Protective cover
- Cable relief



QUICK TOOLLESS CHAIN ADJUSTMENT



SPIKED
BUMPER



OREGON CHAIN
& GUIDE BAR



PROTECTIVE COVER





CHAINSaws

ELEKTRISCHE KETTINGZAAG // TRONÇONNEUSE ÉLECTRIQUE
ELEKTRO-KETTENSÄGE // MOTOSIERRA ELÉCTRICA

POWXG1009

RATED POWER
2400W

BAR SIZE
400mm / 16"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
- Low kickback
- Oil level indicator
- Quick stop
- Quick blade change
- Safety guard
- Soft grip
- Cable relief



OREGON CHAIN
& GUIDE BAR



AUTOBRAKE HAND GUARD



1L: POWOIL003
5L: POWOIL006



QUICK TOOLLESS CHAIN ADJUSTMENT



CABLE RELIEF



PROTECTIVE COVER

POWXG1032

2IN1

RATED POWER
900W

BAR SIZE
300mm / 12"

- Automatic chain oiler
- Oregon chain & guide bar
- Extendable shaft
- Adjustable head
- Autobrake hand guard
- Low kickback
- Quick stop
- Hand guard
- Soft grip



12" PROTECTIVE COVER



OREGON CHAIN
& GUIDE BAR



TELESCOPIC
ALUMINIUM SHAFT



CARRYING BELT



TOTAL LENGTH: 2440mm
1610mm
1035mm



ADJUSTABLE HEAD



CHAINSaws

ELEKTRISCHE KETTINGZAAG // TRONÇONNEUSE ÉLECTRIQUE
ELEKTRO-KETTENSÄGE // MOTOSIERRA ELÉCTRICA

POWPG20210

RATED POWER
2400W

BAR SIZE
400mm / 16"

- Automatic chain oiler
- Oregon chain & guide bar
- Quick toolless chain adjustment
- Autobrake hand guard
- Low kickback
- Soft grip
- Quick stop
- Overload protection

**PRO
POWER**

OREGON
OREGON CHAIN
& GUIDE BAR

AUTOBRAKE
HAND GUARD

SPIKED
BUMPER



PROTECTIVE COVER


1L: POWOIL003
5L: POWOIL006



QUICK TOOLLESS CHAIN ADJUSTMENT





POWEG2010

CYLINDER CAPACITY
37.2cc

ENGINE POWER
1.2kW

BAR SIZE
350mm / 14"

- 2-stroke engine
- Easy start engine
- Automatic choke
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Vibration reduction system
- Quick stop



PROTECTIVE COVER

use with fuel type
95|E10 98|E5



TORCH
SPARK
PLUG



1L: POWOIL003
5L: POWOIL006



1L: POWOIL023
5L: POWOIL025



40:1

POWXG10211

CYLINDER CAPACITY
37.2cc

ENGINE POWER
1.2kW

BAR SIZE
400mm / 16"

- 2-stroke engine
- Easy start engine
- Automatic choke switch off
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Vibration reduction system
- Quick stop



PROTECTIVE COVER

use with fuel type
95|E10 98|E5



WALBRO
CARBURETOR



CHAMPION
SPARK
PLUG



1L: POWOIL003
5L: POWOIL006



1L: POWOIL023
5L: POWOIL025



40:1



SPIKED BUMPER



CHAINSaws

BENZINE KETTINGZAGEN // TRONÇONNEUSES À ESSENCE
BENZIN-KETTENSÄGEN // MOTOSIERRAS A GASOLINA

POWXG10231

CYLINDER CAPACITY
50.4cc

ENGINE POWER
2.2kW

BAR SIZE
500mm / 20"

- 2-stroke engine
- Easy start engine
- Automatic choke switch off
- Automatic chain oiler
- Oregon chain & guide bar
- Autobrake hand guard
- Low kickback
- Vibration reduction system
- Quick stop



AUTOBRAKE
HAND GUARD




OREGON CHAIN
& GUIDE BAR

SPIKED
BUMPER



PROTECTIVE COVER

use with fuel type
95|E10 98|E5



SPIKED BUMPER

POWPG20130

CYLINDER CAPACITY
45.4cc

ENGINE POWER
1.95kW

BAR SIZE
450mm / 18"

- 2-stroke engine
- Easy start engine
- Automatic chain oiler
- Automatic choke switch off
- Autobrake hand guard
- Oregon chain & guide bar
- Low kickback
- Vibration reduction system
- Safety switch
- Quick stop



OREGON CHAIN
& GUIDE BAR

SPIKED
BUMPER



PROTECTIVE COVER

use with fuel type
95|E10 98|E5



SPIKED BUMPER



				
	POWDPG7570	POWDPG7576	POWDPG75385	POWEG10100
VOLTAGE/POWER	20V ~	40V ~	40V ~	2000W
BAR SIZE	300mm / 12"	350mm / 14"	250mm / 10"	350mm / 14"
FEATURES				
OREGON CHAIN & GUIDE BAR	✓	✓	✓	✓
QUICK TOOLLESS CHAIN ADJUSTMENT	✓	✓	✓	-
PROTECTIVE COVER	✓	✓	✓	✓
ACCESSORIES				
COMPATIBLE CHAIN	POWACG4211	POWACG4222	POWACG4201	POWACG4222
COMPATIBLE BATTERY	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	NEW GENERATION BATTERIES POWDP9036 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040	-
COMPATIBLE CHARGER	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055	-
	 5 400338 090875 >	 5 400338 090783 >	 5 400338 092893 >	 5 400338 082238 >
				
	POWEG10110	POWXG1009	POWXG1032	POWPG20210
VOLTAGE/POWER	2200W	2400W	900W	2400W
BAR SIZE	400mm / 16"	400mm / 16"	300mm / 12"	400mm / 16"
FEATURES				
OREGON CHAIN & GUIDE BAR	✓	✓	✓	✓
QUICK TOOLLESS CHAIN ADJUSTMENT	✓	✓	-	✓
PROTECTIVE COVER	✓	✓	✓	✓
ACCESSORIES				
COMPATIBLE CHAIN	POWACG4231	POWACG4231	POWACG4211	POWACG4231
COMPATIBLE BATTERY	-	-	-	-
COMPATIBLE CHARGER	-	-	-	-
	 5 400338 082269 >	 5 400338 082207 >	 5 400338 067921 >	 5 400338 080135 >



CHAINSaws

BENZINE KETTINGZAGEN // TRONÇONNEUSES À ESSENCE
BENZIN-KETTENSÄGEN // MOTOSIERRAS A GASOLINA

				
	POWEG2010	POWXG10211	POWXG10231	POWPG20130
CYLINDER CAPACITY	37.2cc	37.2cc	50.4cc	45.4cc
ENGINE TYPE	2-stroke	2-stroke	2-stroke	2-stroke
ENGINE POWER	1.2kW	1.2kW	2.2kW	1.95kW
BAR SIZE	350mm / 14"	400mm / 16"	500mm / 20"	450mm / 18"
	FEATURES			
OREGON CHAIN BAR	✓	✓	✓	✓
WALBRO CARBURETOR	-	✓	✓	✓
SPARK PLUG	✓	Champion	Champion	Champion
AUTOMATIC CHOKE SWITCH OFF	✓	✓	✓	✓
VIBRATION REDUCTION SYSTEM	✓	✓	✓	✓
	ACCESSORIES			
PROTECTIVE COVER	✓	✓	✓	✓
COMPATIBLE CHAIN	POWACG4221	POWACG4231	POWACG425	POWACG4241
COMPATIBLE SPARK PLUG	POWACG2013	POWACG2013	POWACG2013	POWACG2013
				





POWACG8010

TANK
1.6L

- PVC hose 1m (5mm inner/8mm outer)
- PVC hose 1.3m with dripstop clip (8mm inner/10mm outer)
- 1 funnel



POWXG1066

RATED POWER
180W

- Aluminum die cast
- Sanding disc & tools included



POWACG7010

SANDING DISC Ø100mm

- Available separately



CHAIN SHARPENER

KETTINGSLIJPER // AFFÛTEUSE POUR CHÂÎNES
KETTENSCHÄRFER // AFILADOR DE CADENAS



LEAF BLOWERS/ VACUUM

BLADBLAZERS/-ZUIGERS // ASPIRATEURS/SOUFFLEURS DE FEUILLES
LAUBSAUGER/-BLÄSER // SOPLADORES/ASPIRADORES DE HOJAS



**ONE
FITS ALL**
18V LITHIUM-ION
BATTERY SERIES

ONE BATTERY FITS ALL
EB-RANGE POWER AND
GARDEN TOOLS

BATTERIES AND CHARGER
ARE NOT INCLUDED


POWEBG7520

RATED VOLTAGE
18V $\equiv$

MAX. AIR SPEED
160km/h

MAX. AIR VOLUME
9m³/min

- 1 function: blowing
- Detachable tube for compact storage
- Lightweight



**BATTERY
NOT INCLUDED**



SOFT GRIP

DETACHABLE
TUBE



DETACHABLE
FOR COMPACT STORAGE



**DUAL
POWER**
choose your battery

POWDPG7521

RATED VOLTAGE
20V $\equiv$

MAX. AIR SPEED
145km/h

MAX. AIR VOLUME
9.5m³/min

- 1 function: blowing
- Detachable tube for compact storage



**BATTERY
NOT INCLUDED**



SOFT GRIP

DETACHABLE
TUBE

**20
VOLT
TOOL**

USE WITH



DETACHABLE
FOR COMPACT STORAGE



LEAF BLOWERS

ACCU BLADBLAZERS // SOUFFLEURS DE FEUILLES SUR BATTERIE
AKKU-LAUBBLÄSER // ASPIRADORES DE HOJAS A BATERÍA



POWDPG7525

RATED VOLTAGE
40V $\equiv$

MAX. AIR SPEED
185km/h

MAX. AIR VOLUME
12.75m³/min

- 1 function: blowing
- Brushless motor
- Detachable tube for compact storage



BATTERY
NOT INCLUDED



ADVANTAGES
COMPARED TO A BRUSHED MOTOR

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER



SPEED
LOCK LEVER

DETACHABLE
TUBE

**40
VOLT
TOOL**

USE WITH



TURBO BUTTON



ADVANTAGES
COMPARED TO A BRUSHED MOTOR

- +50% LIFETIME
- +50% AUTONOMY
- +50% POWER

POWDPG7526 **NEW**

RATED VOLTAGE
40V $\equiv$

MAX. AIR SPEED
200km/h

MAX. AIR VOLUME
13.8m³/min

- 1 function: blowing
- Brushless motor
- Detachable tube for compact storage



BATTERY
NOT INCLUDED



SPEED
CONTROL

DETACHABLE
TUBE

**40
VOLT
TOOL**

USE WITH



TURBO BUTTON



POWDPG7527

RATED VOLTAGE
40V ~

MAX. AIR SPEED
220km/h

MAX. AIR VOLUME
12.75m³/min

COLLECTION BAG
45L

- 3 functions:
shredding, blowing & vacuuming
- Variable speed
- Safety contact
- Round nose
- Quick release collection bag
- Adjustable auxiliary handle
- Brushless motor

**DUAL
POWER**
choose your battery



**ADVANTAGES
COMPARED TO A BRUSHED MOTOR**
+50% LIFETIME
+50% AUTONOMY
+50% POWER

**40
VOLT
TOOL**

USE WITH



**BATTERY
NOT INCLUDED**



ADJUSTABLE
SPEED

ON/OFF
SWITCH

BLOW
FUNCTION



ADJUSTABLE
HANDLE

VACUUM
FUNCTION

COLLECTION BAG





LEAF BLOWERS/VACUUM

ELEKTRISCHE BLADBLAZERS/-ZUIGERS // SOUFFLEURS/ASPIRATEURS DE FEUILLES ÉLECTRIQUES
ELEKTRO-LAUBBLÄSER/-SAUGER // SOPLADORES/ASPIRADORES DE HOJAS ELÉCTRICOS



POWEG9013 **NEW**

RATED POWER
3300W

MAX. AIR SPEED
270km/h

MAX. AIR VOLUME
10m³/min

COLLECTION BAG
45L

- 3 functions: shredding, blowing & vacuuming
- Shredding ratio 10:1
- Quick release collection bag
- Double wheel support
- Tube: 2 pieces for compact storage
- Adjustable auxiliary handle
- Lightweight
- Carrying belt



POWXG4038

RATED POWER
3300W

MAX. AIR SPEED
300km/h

MAX. AIR VOLUME
13m³/min

COLLECTION BAG
45L

- 4 functions: shredding, blowing, vacuuming & raking
- Shredding ratio 20:1
- Electronic speed control
- Wide nozzle with wheels
- Telescopic tube
- Easy cleaning access
- Built-in rake
- Adjustable auxiliary handle
- Safety contact
- Metal blade
- Soft grip
- Variable speed
- Carrying belt



LEAF BLOWERS/VACUUM

BENZINE BLADBLAZERS/-ZUIGERS // SOUFFLEURS/ASPIRATEURS DE FEUILLES À ESSENCE
BENZIN-LAUBBLÄSER/-SAUGER // SOPLADORES/ASPIRADORES DE HOJAS A GASOLINA



POWXG50400

CYLINDER CAPACITY
26.5cc

MAX. AIR SPEED
198km/h

MAX. AIR VOLUME
11.5m³/min

- 1 function: blowing
- 4-stroke engine
- Automatic choke
- Low emission

4
STROKE



4-STROKE

SEE ALSO

POWXG50100
GRASS TRIMMER
(page 41)

POWXG50200
BRUSH CUTTER
(page 49)

POWXG50300
HEDGE TRIMMER
(page 64)

**LIGHT &
COMPACT**

LONGER LIFESPAN
EASY START SYSTEM
ENVIRONMENTALLY FRIENDLY
POWERFUL MOTOR
LOWER NOISE LEVEL
LESS VIBRATION
NO FUEL-OIL MIX

**1L: POWOIL033
5L: POWOIL035**

use with fuel type
95|E10 98|E5

POWPG60140

CYLINDER CAPACITY
27.6cc

MAX. AIR SPEED
260km/h

MAX. AIR VOLUME
11.5m³/min

COLLECTION BAG
55L

- 3 functions: shredding, blowing & vacuuming
- 2-stroke engine
- Automatic choke
- Easy start engine
- Electronic ignition
- Safety switch
- Vibration reduction system
- Quick release collection bag
- 3 different nozzles
- 2 extension tubes

**PRO
POWER**



use with fuel type
95|E10 98|E5

**CHAMPION
SPARK
PLUG**

**1L: POWOIL023
5L: POWOIL025**

40:1



LEAF BLOWERS/VACUUM

BLADBLAZERS/-ZUIGERS // SOUFFLEURS/ASPIRATEURS DE FEUILLES
LAUBBLÄSER/-SAUGER // SOPLADORES/ASPIRADORES DE HOJAS

	POWEBG7520	POWDPG7521	POWDPG7525	POWDPG7526	POWDPG7527	POWEG9013	POWXG4038	POWXG50400	POWPG60140
RATED VOLTAGE	18V ---	20V ---	40V ---	40V ---	40V ---	-	-	-	-
RATED POWER						3300W	3300W	-	-
CYLINDER CAPACITY	-	-	-	-	-	-	-	26.5cc 4-stroke	27.6cc 2-stroke
SHREDDING RATIO	-	-	-	-	15:1	10:1	20:1	-	10:1
MAX. AIR SPEED	160km/h	145km/h	185km/h	200km/h	220km/h	270km/h	300km/h	198km/h	260km/h
MAX. AIR VOLUME	9m³/min	9.5m³/min	12.75m³/min	13.8m³/min	12.75m³/min	10m³/min	13m³/min	11.5 pm³/min	11.5m³/min
VARIABLE SPEED	-	-	-	-	✓	-	✓	-	-
COLLECTION BAG	-	-	-	-	45L	45L	45L	-	55L
FEATURES									
TUBE	1 piece	1 piece	1 piece	2 pieces	2 pieces	2 pieces	telescopic	2 pieces	2 pieces
EASY START	-	-	-	-	-	-	-	✓	✓
BUILT-IN RAKE	-	-	-	-	-	-	✓	-	-
FUNCTIONS	1 function	1 function	1 function	1 function	3 functions	3 functions	4 functions	1 function	3 functions
SPARK PLUG	-	-	-	-	-	-	-	✓	Champion
ACCESSORIES									
COMPATIBLE SPARK PLUG	-	-	-	NEW GENERATION BATTERIES	-	-	-	-	POWACG2013
COMPATIBLE BATTERY	POWEB9010 POWEB9013	POWDP9010 POWDP9020 POWDP9036 POWDP9011 POWDP9021 POWDP9037 POWDP9040	POWDP9036 POWDP9037 POWDP9040		POWDP9036 POWDP9037 POWDP9040	-	-	-	-
COMPATIBLE CHARGER	POWEB9050	POWDP9050 POWDP9051 POWDP9055	POWDP9050 POWDP9051 POWDP9055		POWDP9050 POWDP9051 POWDP9055	-	-	-	-
	5 400338 075957 >	5 400338 091964 >	5 400338 075803 >	5 400338 083440 >	5 400338 079870 >	5 400338 091650 >	5 400338 081743 >	5 400338 080258 >	5 400338 080104 >





POWERPLUS



SHREDDERS

HAKSELAARS // BROYEURS DE VÉGÉTAUX

HÄCKSLER // TRITURADORAS JARDÍN



SHREDDERS

HAKSELAARS // BROYEURS DE VÉGÉTAUX
HÄCKSLER // TRITURADORAS JARDÍN



50L COLLECTION BAG



ROTATABLE & OPENABLE HOUSING
FOR EASY CLEANING



BLADE CUTTING SYSTEM



POWEG5011

RATED POWER
2400W

MAX. CUTTING DIAMETER
40mm

COLLECTION BAG
50L

- Safety contact
- Blade cutting system
- Overload protection
- Rotatable & openable housing for easy cleaning
- Push stick included



5 400338 082276 >




PUSH STICK

LONG LIFE HIGH QUALITY
INDUCTION MOTOR




ROBUST UNDERCARRIAGE
WITH WHEELS

REVERSIBLE
DRUM ROTOR



ADJUSTABLE
BLADE DISTANCE



DRUM / WORM GEAR
CUTTING SYSTEM



POWXG6462

RATED POWER
2800W

MAX. CUTTING DIAMETER
45mm

SHREDDER BOX
60L

- Safety contact
- Drum / worm cutting system
- Overload protection
- Robust undercarriage with wheels
- Push stick included



5 400338 082979 >



HIGH PRESSURE CLEANERS

HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION
HOCHDRUCKREINIGER // HIDROLIMPIADORAS





HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS



POWXG90400

RATED POWER
1200W

MAX. FLOW RATE
390l/h

MAX. PRESSURE
100 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
5kg

- Adjustable nozzle
- 3m high pressure hose
- 3m electric cable
- Aluminium pump housing



POWXG90405

RATED POWER
1400W

MAX. FLOW RATE
390l/h

MAX. PRESSURE
110 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
5.8kg

- Adjustable & turbo nozzle
- Soap bottle
- 5m high pressure hose
- 5m electric cable
- Aluminium pump housing



HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS



POWXG90410

RATED POWER
1800W

MAX. FLOW RATE
420l/h

MAX. PRESSURE
140 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
7.7kg

- Adjustable & turbo nozzle
- Patio cleaner
- 8m high pressure hose
- 5m electric cable
- Hose reel for pressure hose
- Built-in detergent tank 750ml
- Lance extension 330mm
- Aluminium pump housing



POWXG90416 NEW

RATED POWER
2000W

MAX. FLOW RATE
450l/h

MAX. PRESSURE
160 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
8.0kg

- Adjustable & turbo nozzle
- Patio cleaner
- Brush
- 8m high pressure hose
- 5m electric cable
- Hose reel for pressure hose
- Built-in detergent tank 850ml
- Lance extension 330mm
- Aluminium pump housing





HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS



POWXG90420

RATED POWER
2200W

MAX. FLOW RATE
450l/h

MAX. PRESSURE
170 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
11.4kg

- Adjustable & turbo nozzle
- Patio cleaner
- Metal spray gun
- 8m high pressure hose
- 5m electric cable
- Hose reel for pressure hose
- Built-in Detergent tank 1100ml
- Lance extension 330mm
- Aluminium pump housing



POWXG90425

RATED POWER
2500W

MAX. FLOW RATE
468l/h

MAX. PRESSURE
195 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
21kg

- Adjustable & turbo nozzle
- Patio cleaner
- 10m pipe cleaning set + connector
- Metal spray gun
- Brush
- 8m high pressure hose
- 5m electric cable
- Hose reel for pressure hose
- Built-in detergent tank 1100ml
- Lance extension 330mm
- Aluminium pump housing
- Induction motor



HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS



POWXG90430 NEW

RATED POWER
3100W

MAX. FLOW RATE
660l/h

MAX. PRESSURE
190 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
38.5kg

- 4 spray nozzles
- Metal spray gun
- Patio cleaner
- Brush
- Turbo lance
- 10m high pressure hose
- 5m electric cable
- Induction motor



4 SPRAY NOZZLES

LONG LIFE HIGH QUALITY
INDUCTION MOTOR

START/STOP
SYSTEM



10m
HIGH PRESSURE
HOSE

METAL
SPRAY GUN

5m
ELECTRIC CABLE



BRUSH

TURBO LANCE

PATIO CLEANER



WATER INLET & OUTLET



STURDY FRAME FOR TRANSPORTATION



HIGH PRESSURE CLEANERS

ELEKTRISCHE HOGEDRUKREINIGERS // NETTOYEURS HAUTE PRESSION ÉLECTRIQUES
ELEKTRO-HOCHDRUCKREINIGER // HIDROLIMPIADORAS ELÉCTRICAS

POWXG90500 **NEW**

RATED POWER
2200W

MAX. FLOW RATE
450l/h

MAX. PRESSURE
170 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
9.0kg

- Adjustable & turbo nozzle
- Patio cleaner
- Brush
- 8m high pressure hose
- 5m electric cable
- Lance extension
- Hose reel for pressure hose
- Built-in detergent tank 850ml
- Aluminium pump housing



START/STOP
SYSTEM

PROMO



HOSE REEL FOR 8m
HIGH PRESSURE HOSE

SPRAY GUN

BRUSH

LANCE EXTENSION FOR
EASE OF USE



PATIO
CLEANER



BUILT-IN DETERGENT TANK

HIGH PRESSURE CLEANERS

BENZINE HOGEDRUKREINIGER // NETTOYEUR HAUTE PRESSION À ESSENCE
BENZIN-HOCHDRUCKREINIGER // HIDROLIMPIADORA A GASOLINA



POWXG9009

CYLINDER CAPACITY
208cc

ENGINE POWER
4.1kW

MAX. FLOW RATE
540 l/h

MAX. PRESSURE
225 bar

MAX. WATER TEMPERATURE
50°C

WEIGHT
27kg

- 4 nozzles & soap nozzle
- Metal spray gun
- 8m high pressure hose
- Fuel tank 3600ml
- Built-in detergent tank 2000ml
- Self-priming tube 2m
- 4-stroke engine



4 SPRAY NOZZLES
& SOAP NOZZLE

FUEL
TANK

METAL
SPRAY GUN

BUILT-IN
DETERGENT TANK
2000ml



2m
SELF PRIMING TUBE



8m
HIGH PRESSURE HOSE

POWXG90091

PIPE CLEANING SET 15m

FOR USE WITH POWXG9009

Rioolreinigingsset
Kit débouche-canalisation
Rohrreinigungsschlauch
Kit limpieza de tuberías



5 400338 077760



use with fuel type
95 | 98





HIGH PRESSURE CLEANERS

BENZINE HOGEDRUKREINIGER // NETTOYEUR HAUTE PRESSION À ESSENCE
BENZIN-HOCHDRUCKREINIGER // HIDROLIMPIADORA A GASOLINA

POWXG9100

NEW

CYLINDER CAPACITY
196cc

ENGINE POWER
5.0kW

MAX. FLOW RATE
540 l/h

MAX. PRESSURE
200bar

MAX. WATER TEMPERATURE
60°C

WEIGHT
36kg

- 4 nozzles & 1 soap nozzle
- Metal spray gun 900mm
- 20m high pressure hose
- Fuel tank 3500ml
- Built-in detergent tank 5000ml
- Self-priming tube 2m
- 4-stroke engine



METAL
SPRAY GUN

4 SPRAY NOZZLES
& 1 SOAP NOZZLE

FUEL
TANK
3500ml

2m
SELF PRIMING TUBE

BUILT-IN
DETERGENT TANK
5000ml

SOLID WHEELS
Ø300mm



use with fuel type
95 | 98




1L: POWOIL033
5L: POWOIL035

HIGH PRESSURE CLEANERS

HOGEDRUKREINIGER // NETTOYEUR HAUTE PRESSION
HOCHDRUCKREINIGER // HIDROLIMPIADORA



	POWXG90400	POWXG90405	POWXG90410	POWXG90416	POWXG90420	POWXG90425	POWXG90430	POWXG90500	POWXG9009	POWXG9100
RATED POWER	1200W	1400W	1800W	2000W	2200W	2500W	3100W	2200W	-	-
CYLINDER CAPACITY	-	-	-	-	-	-	-	-	208cc	196cc
MAX. FLOW RATE	390 l/h	390 l/h	420 l/h	450 l/h	450 l/h	468 l/h	660 l/h	450 l/h	540 l/h	540 l/h
MAX. PRESSURE	100 bar	110 bar	140 bar	160 bar	170 bar	195 bar	190 bar	170 bar	225 bar	200 bar
	FEATURES									
START/STOP SYSTEM	✓	✓	✓	✓	✓	✓	✓	✓	-	-
CABLE (LENGTH)	3m	5m	5m	5m	5m	5m	5m	5m	-	-
HOSE (LENGTH)	3m	5m	8m + reel	8m + reel	8m + reel	8m + reel	10m	8m + reel	8m	20m
EXTRA AVAILABLE ACC.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SPARK PLUG	-	-	-	-	-	-	-	-	POWACG2011	POWACG2011
ENGINE TYPE	-	-	-	-	-	Induction	Induction	-	4-STROKE	4-STROKE
	5 400338 076664 >5	5 400338 076671 >5	5 400338 076688 >5	5 400338 093203 >5	5 400338 076718 >5	5 400338 076725 >5	5 400338 093210 >5	5 400338 093197 >5	5 400338 076749 >5	





PRESSURE SPRAYERS

DRUKSPROEIJERS // PULVÉRISATEURS A PRESSION // DRUCKSPRÜHER // PULVERIZADOR A PRESIÓN



**20
VOLT
TOOL**

USE WITH



**BATTERY
NOT INCLUDED**



POWDPG804 NEW

RATED VOLTAGE
20V

CAPACITY
4 L

FLOW RATE
500ml/min

OPERATING PRESSURE
5bar

HOSE
116.5cm

SPRAYGUN
45-73cm

- Extra long stainless steel spraygun
- Trigger with lock-on
- Pump free spraying
- Portable handle



5 400338 092558

PICTURE FOR ILLUSTRATION PURPOSE ONLY

**20
VOLT
TOOL**

USE WITH



**BATTERY
NOT INCLUDED**

POWDPG80460 NEW

RATED VOLTAGE
20V

CAPACITY
16 L

FLOW RATE
0.95 - 1.3l/min

OPERATING PRESSURE
1.8 - 3.6bar

MAX. PRESSURE
6bar

LANCE
Ø10mm - 0.5m

HOSE
Ø11mm - 1.7m

- Acid resistant (tecnofon sealing)
- Switch indicator
- Auto stop system
- Thermal protection
- 4 Nozzles:
Dual / Flat / Adjustable / Cone



5 400338 093784

PICTURE FOR ILLUSTRATION PURPOSE ONLY



4 NOZZLES



COMFORTABLE STRAPS



WEED BURNERS

ONKRUIDBRANDERS // DÉSHERBEURS ÉLECTRIQUES

UNKRAUTBRENNERS // QUEMADORES DE MALEZAS





POWXG6601

RATED POWER
2000W

HEAT SETTING
max. 650°C

AIR SETTING
500 l/m


- Destroy weeds by heating
- No chemicals needed
- Aluminium heat protection part



5 400338 077425 >



SUPPORT



POWXG6611

RATED POWER
2000W

HEAT SETTING 1
80°C

HEAT SETTING 2
600°C

AIR SETTING
550 l/m

- Destroy weeds by heating
- No chemicals needed
- Aluminium heat protection part
- Extra BBQ/fireplace lighter nozzle



5 400338 077784 >



BBQ/FIREPLACE
LIGHTER



WEED SWEEPERS

ONKRUIDBORSTEL // Brosse de désherbage

UNKRAUTFUGENBURSTE // Barredor de malezas





POWDPG8060 **NEW**

RATED VOLTAGE
20V $\equiv$

ROTATION SPEED
1400min⁻¹

BRUSH SIZE
Ø110mm

- Removes moss, weed and dirt
- Telescopic handle
- Adjustable auxiliary handle
- Guide wheel
- Safety guard
- 1 Nylon brush
- 1 Steel brush



5 400338 093470 >



**DUAL
POWER**
choose your battery

**20
VOLT
TOOL**

USE WITH



**BATTERY
NOT INCLUDED**



POWXG6650 **NEW**

RATED POWER
400W

ROTATION SPEED
1800min⁻¹

BRUSH SIZE
Ø110mm


CABLE LENGTH
0.35m

- Removes moss, weed and dirt
- Telescopic handle
- Adjustable auxiliary handle
- Guide wheel
- Safety guard
- 1 Nylon brush
- 1 Steel brush



5 400338 093463 >





KREATOR



Discover the complete range of Kreator gardening tools and water accessories.

The large selection of shears, saws, spray guns, etc. appeals to both beginners and passionate gardeners.

Choosing Kreator Garden, is choosing for a healthy and colourful garden.

www.varo.com




SAFETY

DUST MASKS



EAR PROTECTION



SAFETY GLASSES




GLOVES



KREATOR

the right accessory for every tool



VARO - VIC. VAN ROMPUY NV

JOSEPH VAN INSTRAAT 9 - 2500 LIER - BELGIUM
TEL +32 (0)3 292.92.92 - FAX +32 (0)3 292.92.72
E-MAIL: INFO@VARO.COM - WWW.VARO.COM

OFFICES:

IBERICA BRICOLAGE S.L. - ESPAÑA
ASIA PACIFIC HONG KONG LTD / SHANGHAI PRC
AUSTRALIA PTY LTD / GERMANY GMBH

CAT20070091 PRINTED SEPTEMBER 2020